# **SAF-RC-076** 100-D/DR Burial Grounds & Remaining Sites - Aqueous Liquid Quick Turn FINAL DATA PACKAGE

# **COMPLETE COPY OF DATA PACKAGE TO:**

Jeanette Duncan H4-21

KW 6/25/07

**COMMENTS:** 

**SDG J00114** 

SAF-RC-076

Rad only  $X \subset X$  Chem only

Rad & Chem

X Complete

**Partial** 

**Waste Site: 100-D-56** 



# **Analytical Data Package Prepared For**

# Washington Closure Hanford



Radiochemical Analysis By

# STL Richland

2800 G.W. Way, Richland Wa, 99354, (509)-375-3131.

Assigned Laboratory Code: STLRL

Data Package Contains 19 Pages

Report No.: 35707

SDG No.	Order No.	Client Sample ID (List Order)	Lot-Sa No.	Work Order	Report DB ID	Batch No.
J00114	RC-076	J155M9	J7F130344-1	J0XQ51AA	9J0XQ510	7165249



STL Richland 2800 George Washington Way Richland, WA 99354

Tel: 509 375 3131 Fax: 509 375 5590 www.stl-inc.com

# Certificate of Analysis

Washington Hanford Closure 2620 Fermi Avenue Richland, WA 99354

June 25, 2007

Attention: Joan Kessner

SAF Number

RC-076

Date SDG Closed

June 13, 2007

Number of Samples

One (1)

Sample Type

Water

SDG Number

J00114

Data Deliverable

7 -Day / Summary

# **CASE NARRATIVE**

#### I. Introduction

On June 13, 2007, one water sample was received at STL Richland (STLR) for chemistry analysis. Upon receipt, the sample was assigned the following laboratory ID number to correspond with the Washington Closure Hanford (WCH) specific ID:

WCH ID#	STLR ID#	<b>MATRIX</b>	DATE OF RECEIPT
J155M9	J0XQ5	WATER	6/13/07

### II. Sample Receipt

The sample was received in good condition. There was no turn around time listed on the chain of custody. The client was notified on 6/14/07 by email. The client replied on the same day and instructed the laboratory that this sample needed a seven day turn around time.

#### III. Analytical Results/Methodology

The analytical results for this report are presented by laboratory sample ID. Each set of data includes sample identification information, analytical results and the appropriate associated statistical errors.

The requested analyses was:

Chemical Analysis

Hexavalent Chromium by EPA method 7196A

Washington Closure Hanford June 25, 2007

# IV. Quality Control

The analytical results for each analysis performed includes a minimum of one laboratory control sample (LCS), one method (reagent) blank, and one duplicate sample analysis. Any exceptions have been noted in the "Comments" section.

QC and sample results are reported in the same units.

#### V. Comments

#### **Chemical Analysis**

Hexavalent Chromium by EPA method 7196A:

The LCS, batch blank, sample, sample duplicate (J155M9) and sample matrix spike (J155M9) results are within contractual requirements.

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the following signature.

Reviewed and approved:

Sandra Seger

Project Manager

**Drinking Water Method Cross References** 

	DRINKING WAT	ER ASTM METHOD CROSS REFERENCES
Referenced Method	isotope(s)	STL Richland's SOP number
EPA 901.1	Cs-134, I-131	RICH-RC-5017
EPA 900.0	Alpha & Beta	RICH-RC-5014
EPA 903.1	Ra-226	RICH-RC-5005
EPA 904.0	Ra-228	RICH-RC-5005
EPA 905.0	Sr89/90	RICH-RC-5006
ASTM D2460	Total Radium	RICH-RC-5027
Standard Method 7500-U-C & ASTM D5174	Uranium	RICH-RC-5058
EPA 906.0	Tritium	RICH-RC-5007
NOTE:		
The Gross Alpha LCS is prepared with Am-24		
The Gross Beta LCS is prepared with Sr/Y-90	) (unless otherwise	e specified in the case narrative)

## **Uncertainty Estimation**

STL Richland has adopted the internationally accepted approach to estimating uncertainties described in "NIST Technical Note 1297, 1994 Edition". The approach, "Law of Propagation of Errors", involves the identification of all variables in an analytical method which are used to derive a result. These variables are related to the analytical result (R) by some functional relationship, R = constants \* f(x,y,z,...). The components (x,y,z) are evaluated to determine their contribution to the overall method uncertainty. The individual component uncertainties  $(u_i)$  are then combined using a statistical model that provides the most probable overall uncertainty value. All component uncertainties are categorized as type A, evaluated by statistical methods, or type B, evaluated by other means. Uncertainties not included in the components, such as sample homogeneity, are combined with the component uncertainty as the square root of the sum-of-the-squares of the individual uncertainties. The uncertainty associated with the derived result is the combined uncertainty  $(u_c)$  multiplied by the coverage factor (1,2, or 3).

When three or more sample replicates are used to derive the analytical result, the type A uncertainty is the standard deviation of the mean value (S/vn), where S is the standard deviation of the derived results. The type B uncertainties are all other random or non-random components that are not included in the standard deviation.

The derivation of the general "Law of Propagation of Errors" equations and specific example are available on request.

	Report Definitions
Action Lev	An agreed upon activity level used to trigger some action when the final result is greater than or equal to the Action Level. Often the Action Level is related to the Decision Limit.
Batch	The QC preparation batch number that relates laboratory samples to QC samples that were prepared and analyzed together.
Bias	Defined by the equation (Result/Expected)-1 as defined by ANSI N13.30.
COC No	Chain of Custody Number assigned by the Client or STL Richland.
Count Error (#s)	Poisson counting statistics of the gross sample count and background. The uncertainty is absolute and in the same units as the result. For Liquid Scintillation Counting (LSC) the batch blank count is the background.
Total Uncert (#s)  uc_Combined  Uncertainty.	All known uncertainties associated with the preparation and analysis of the sample are propagated to give a measure of the uncertainty associated with the result, $u_c$ the combined uncertainty. The uncertainty is absolute and in the same units as the result.
(#s), Coverage Factor	The coverage factor defines the width of the confidence interval, 1, 2 or 3 standard deviations.
CRDL (RL)	Contractual Required Detection Limit as defined in the Client's Statement Of Work or STL Richland "default" nominal detection limit. Often referred to the reporting level (RL)
Le	Decision Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume associated with the sample. The Type I error probability is approximately 5%. Lc=(1.645 * Sqrt(2*(BkgrndCnt/BkgrndCntMin)/SCntMin)) * (ConvFct/(Eff*YId*Abn*Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability. Lc cannot be calculated when the background count is zero.
Lot-Sample No	The number assigned by the LIMS software to track samples received on the same day for a given client. The sample number is a sequential number assigned to each sample in the Lot.
MDCIMDA	Detection Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume with a Type I and II error probability of approximately 5%. MDC = (4.65 * Sqrt((BkgrndCnt/BkgrndCntMin)/SCntMin) + 2.71/SCntMin) * (ConvFct/(Eff * Yld * Abn * Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability.
Primary Detector	The instrument identifier associated with the analysis of the sample aliquot.
Ratio U-234/U-238	The U-234 result divided by the U-238 result. The U-234/U-238 ratio for natural uranium in NIST SRM 4321C is 1.038.
Rst/MDC	Ratio of the Result to the MDC. A value greater than 1 may indicate activity above background at a high level of confidence. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Rst/TotUcert	Ratio of the Result to the Total Uncertainty. If the uncertainty has a coverage factor of 2 a value greater than 1 may indicate activity above background at approximately the 95% level of confidence assuming a two-sided confidence interval. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Report DB No	Sample Identifier used by the report system. The number is based upon the first five digits of the Work Order Number.
RER	The equation Replicate Error Ratio = (S-D)/[sqrt(TPUs <sup>2</sup> + TPUd <sup>2</sup> )] as defined by ICPT BOA where S is the original sample result, D is the result of the duplicate, TPUs is the total uncertainty of the original sample and TPUd is the total uncertainty of the duplicate sample.
SDG	Sample Delivery Group Number assigned by the Client or assigned by STL Richland upon sample receipt.
Sum Rpt Alpha Spec Rst(s)	The sum of the reported alpha spec results for tests derived from the same sample excluding duplicate result where the results are in the same units.
Work Order	The LIMS software assign test specific identifier.
Yield	The recovery of the tracer added to the sample such as Pu-242 used to trace a Pu-239/40 method.

# Sample Results Summary STL Richland STLRL

Date: 25-Jun-07

Ordered by Client Sample ID, Batch No.

Report No.: 35707

**SDG No: J00114** 

Client ID	Work Order Number	Parameter	Result +- Uncertainty ( 2s)	Qual	Units	Yield	MDCIMDA	RPD
J155M9	J0XQ51AA	HEXCHROME	2.00E-03 + 0.00E+00	U	mg/L	N/A	2.00E-03	
	J0XQ51AE	HEXCHROME	2.00E-03 +- 0.00E+00	U	mg/L	N/A	2.00E-03	0.0
Number of Results:	2							

# **QC Results Summary** STL Richland STLRL Ordered by QC Type, Batch No.

Date: 25-Jun-07

**Report No.: 35707** 

**SDG No.:** J00114

QC Type	Work Order Number	Parameter	Result +- Uncertainty ( 2s)	Qual U	inits	Tracer Yield	LCS Recovery	Bias	MDC MDA
MATRIX SPI	K J0XQ51AC	HEXCHROME	5.31E-01 +- 0.00E+00	1	mg/L	N/A	101%	0.0	2.00E-03
MATRIX SPI	K J0XQ51AD	HEXCHROME	5.35E-01 +- 0.00E+00	ı	mg/L	N/A	107%	0.1	2.00E-03
LCS	J01JA1AC	HEXCHROME	5.05E-01 +- 0.00E+00		mg/L	N/A	101%	0.0	2.00E-03
BLANK QC	J01JA1AA	HEXCHROME	2.00E-03 +- 0.00E+00	U	mg/L	N/A			2.00E-03

Number of Results:

V5.1.3 A2002

## **SAMPLE RESULTS**

Date: 25-Jun-07

Lab Name:

STL Richland

SDG:

J00114

Collection Date: 6/13/2007 12:33:00 PM

Lot-Sample No.: J7F130344-1

Report No.:

35707

Received Date:

6/13/2007 2:14:00 PM

Client Sample ID: J155M9

COC No.:

RC-076-17

Matrix:

**WATER** 

									Order	ed by Client	Sample ID, Batch No
Parameter	Result Qua	Count i Error (2 s)	Total Uncert( 2 s)	MDC   MDA, Action Lev	Rpt Unit, Lc	Yield CRDL(RL)	Rst/MDC, Rst/TotUces		Total Sa Size	Aliquot Size	Analy Method, Primary Detector
Batch: 7165249	Work Order: J	XQ51AA	Report DB II	D: 9J0XQ510					<u> </u>		
HEXCHROME	<b>2.00E-03</b> U		0.0E+00	2.00E-03	mg/L	N/A	1.	6/13/07		100.0	7196_CR6
						2.00E-03	N/A	•		ML	

Number of Results: 1

Date: 25-Jun-07

# **DUPLICATE RESULTS**

Lab Name:

STL Richland

SDG:

J00114

Collection Date: 6/13/2007 12:33:00 PM

Lot-Sample No.: J7F130344-1

Report No.:

35707

Received Date: 6/13/2007 2:14:00 PM

Client Sample ID: J155M9

COC No.:

RC-076-17

Matrix:

**WATER** 

Parameter	Result, Orig Rst	Qual	Count Error ( 2 s)	Total Uncert( 2 s)	MDC MDA, Action Lev	Rpt Unit, CRDL	Yleid	Rst/MDC, Rst/TotUcert	Analysis, Prep Date	Total Sa Size	Aliquot Size	Analy Method, Primary Detector
Batch: 7165249	Work Orde	r: JOXQ5	1AE	Report DB ID: J	XQ51ER	Orig Sa I	DB ID: 9J0	XQ510			···-	
HEXCHROME	2.00E-03	U		0.0E+00	2.00E-03	mg/L	N/A	1.	6/13/07		100.0	7196_CR6
	2.00E-03	U RP	D.0			2.00E-03		N/A			ML	_

Number of Results: 1

Comments:

RPD - Relative Percent Difference.

rptSTLRchDupV5.1 .3 A2002

MDC|MDA,Lc - Detection, Decision Level based on instrument background or blank, adjusted by the sample Efficiency, Yield, and Volume.

U Qual - Analyzed for but not detected above limiting criteria. Limit criteria is less than the Mdc/Mda or Total Uncert or not identified by gamma scan software.

**BLANK RESULTS** 

Date: 25-Jun-07

Lab Name:

STL Richland

SDG:

J00114

Lot-Sample No.: #Error

Report No.: 35707

Matrix: WATER

Parameter	Result	Qual	Count Error ( 2 s)	Total Uncert( 2 s)	MDC MDA	Rpt Unit, CRDL	Yield	Rst/MDC Rst/TotUce	,	Total Sa Size	Allquot Size	Analy Method, Primary Detector
Batch: 7165249	Work Order	: J01J/	A1AA	Report DB ID:	J01JA1AB							
HEXCHROME	2.00E-03	U		0.0E+00	2.00E-03	mg/L	N/A	1.	6/13/07		100.0	7196_CR6
						2.00E-03		N/A			ML.	

Number of Results: 1

# LCS RESULTS

Lab Name:

STL Richland

SDG:

J00114

Lot-Sample No.: #Error

Report No.: 35707

Matrix: WATER

Date: 25-Jun-07

Parameter	Result Count Qual Error (2 s	Total Uncert(2 s) MD	Report C MDA Unit	Yield	Expected	Expected Uncert	Recovery, Bias	Analysis, Prep Date	Aliquot Size	Analy Method, Primary Detector
Batch: 7165249	Work Order: J01JA1AC	Report DB ID:	J01JA1AS				<u> </u>			*
HEXCHROME	5.05E-01	0.0E+00 2.0	00E-03 mg/L	N/A	5.00E-01	l	101%	6/13/07	100.0	7196_CR6
		:		Rec Limits:	85.	115.	0.0		ML	

Number of Results: 1

# **MATRIX SPIKE RESULTS**

Date: 25-Jun-07

Lab Name:

STL Richland

SDG:

J00114

Lot-Sample No.: J7F130344-1, J155M9

**Report No.: 35707** 

Matrix: WATER

Parameter	SpikeResult, Orig Rst	Qual	Count Error (2 s)	Total Uncert( 2 s)	MDC MDA	Rpt U CRD	•	Rec- overy	Exp- ected	Exp Uncert	Analysis, Prep Date	Aliquot Size	Analy Method, Primary Detector
Batch: 7165249	Work Order	: J0X	251AC	Report DB ID:	J0XQ51CW		Orig Sa DB ID:	9J0XQ510					
HEXCHROME	5.31E-01			0.0E+00	2.00E-03	mg/L	N/A	100.95%	5.26E-01	1	6/13/07	100.0	7196 CR6
	2.00E-03											ML	_

Number of Results: 1



# Richland Laboratory Data Review Check List Hexavalent Chromium

Work Order Number(s): J01JA, J0XQ5				
Lab Sample Numbers or SDG: J00114	·	<del></del>		
Method/Test/Parameter: Cr+6 in Water / RICH-WC-5003	<del></del>	<del></del>	_	<del></del>
Review Item	Yes (✓)	No ( <b>√</b> )	N/A (✓)	2 <sup>™</sup> Level Review (✔)
A. Initial Calibration	1			
Performed at required frequency with required number of levels?				
2. Correlation coefficient within QC limits?	1			
3. Initial calibration verification (ICV) analyzed immediately after calibration and results within QC limits?	<b>✓</b>			
4. Initial calibration blank (ICB) analyzed immediately after ICV and concentrations of all parameters < reporting limit?	<b>V</b>			-
B. Continuing Calibration	1			
1. CCV analyzed at required frequency and all parameters within QC limits?	<u> </u>			
2. CCB analyzed at required frequency and all results < reporting limit?	<b>√</b>			~
C. Sample Analysis			<b>√</b>	
Were any samples with concentrations above the linear range for any parameter diluted and reanalyzed?				
2. Were all sample holding times met?	1			
D. QC Samples	1			~
1. All results for the preparation blank below limits?	1			
2. MS or MS/MSD recoveries within QC limits and %RPD (for MSD) acceptable?	<u> </u>			~
3. LCS percent recovery within QC limits and %RPD (for LCSD) acceptable?	1			<u> </u>
4. Analytical spikes within QC limits where applicable?			✓	<u>س</u>
5. ICP only: One serial dilution performed per SDG?			<b>√</b>	L
6. ICP only: CRDL standard (CRI or CRA) analyzed at required frequency?			✓	
7. ICP only: Interference check samples (ICSA, ICSAB) and HICAL analyzed at the required frequencies and within QC limits?			<b>✓</b>	

Review Item	Yes (✔)	No (✓)	N/A (✓)	2 <sup>nd</sup> Level Review (✓)
E. Other			1	
1. Are all nonconformances included and noted?			1	
2. Is the correct date and time of analysis shown?	✓			/
3. Did the analyst sign and date the front page of the analytical run?	1		<u> </u>	~
4. Correct methodology used?	<b>✓</b>			/
5. Transcriptions checked?	<b>✓</b>			~
6. Calculations checked at minimum frequency?	<b>✓</b>			~
7. Units checked?	<b>✓</b>		<u> </u>	

Comments on any "No" response:	
Analyst:	Date: 6-25-07

			11-13	3UJ 7	Z						UU	11	7	Me		6-1-5	4.6	ر يو	יטוטי
Washington	Closure I					OF CUST	ODY/S	AMPI	E	ANALY	SIS	RE	<b>OUEST</b>			RC-	076-017	Page 1	of 1
Collector D.W. Shea					any Contact Telephone No. Project Coordinator						Data Turnaround								
Project Designation 100-D/DR Burial (		naining Sites - Aqueo	us Liqu	Samplin 100-1		cation						SAI RC-	No. 076						
ice Chest No.				Field La				COA ROODS	62600	)			hod of Ship ompany veh						
Shipped To Severn Trent Inco	rporated, Rich	land		Offsite	Prop	ertv No.						Bill	of Lading/	Air Bill !	No.				
POSSIBLE SAMP Cr+6	LE HAZARD	S/REMARKS			: 1	Preservation	Cool 4C												
Special Handling	and/or Stor	race		į	Туј	e of Container	G/P		$\dashv$						$\dashv$			<u> </u>	
olecimi ramminis	, unitary over			[	No.	of Container(s)	ı												
<del></del>						Volume	250mL	<u> </u>											
		SAMPLE ANAL	YSIS		:		Chromium Hex - 7196			_			-						
								50	K	05		i							
Sample No	0.	Matrix *		ple Date		Sample Time	BOX III	0角梅										机分钟	
J155M9		WATER	6/13	107		1233		TO	X	<b>\$56/21</b>	07								
					4	<del></del>	ļ	<b></b>	_				·		4			<u> </u>	
<del></del>	<del></del>		<b> </b>					<b>├</b> ──	$\dashv$					<u> </u>	-	<del></del>		<del> </del>	
					-			<del> </del> -	┥		,				-+		ļ	<del> </del>	<del> </del>
CHAIN OF P	OSSESSION		S	ign/Print	Nam	es		SI	PECI	AL INSTR	UCTIO	ONS		L			L	<u></u>	Matrix *
Relinguished By/Remov	Shew 6/	Date/Time 13/07 1414		od By/Store			ite/Time 3-07 /4	14											S=Suil SE=Sediment
Relinquished By/Remov		Date/Time	Receive	ed By/Store	djin	Da	ite/Time												SO=Salid SI=Studge W = Water
Relinquished By/Remov	ed From	Date/Time	Receive	ed By/Store	d In	Di	ate/Time	_											O=Oit A=Air DS=Drum Solids DL=Drum Liquids
Retinquished By/Remov	ed From	Date/Time	Receiv	ed By/Store	d In	D	ite/Time												T=Tironc Wt=Wipe L=Liquid
Relinquished By/Remov	red From	Date/Time	Receiv	ed By/Store	d în	D	ite/Time												V=Vegetatisks X=Other
Relinquished By/Remov	ed From	Date/Time	Receiv	ed By/Store	d:In	D	ate/Time												
LABORATORY SECTION	Received By						Ti	itle						~			Ε	Date/Time	
FINAL SAMPLE DISPOSITION	Disposal Metho	xl		<u>.</u>	<del></del>					Dispo	sed By						<u> </u>	Date/Time	



# Sample Check-in List

Date/Ti	ime Received: <u>C</u>	6.13.07 14:14		
Client:	BH1	SDG #: <u>J0011</u>	<u>'4</u> NA[] SAF#	RC-076 NA[]
Work C	Order Number:	17F130344	Chain of Custody #	RC-076-017
Shippin	g Container ID:_	· · · · · · · · · · · · · · · · · · ·	Air Bill #	
1.	Custody Seals of	on shipping container intact?	NA	[] Yes [/] No []
2.	Custody Seals of	lated and signed?	NA	[] Yes [] No []
3.	Chain of Custoo	ly record present?		Yes [/] No [ ]
4.	Cooler températ	ture:NA 1/ 5.1	Vermiculite/packing mate	rials is NA [/] Wet [] Dry []
6.	Number of samp	oles in shipping container:		
.7.	Sample holding	times exceeded?	NA	Y Yes [] No []
8.	Samples have:tapecustody se	eais .	hazard la appropria	bels ite samples labels
9.	Samples are:in good cobroken	ondition	leaking have air b Only for sampi	oubbles les requiring head space)
10.	Sample pH taker	n? NA [ ] pH<2	[] pH>2/ pH>9	[]
11.	•	n, Sample Collector Listed? tion only. No corrective acti		Yes [] No []
12.	Were any anoma	lies identified in sample reco	ipt?	Yes [] No []
13.	Description of an	nomalies (include sample nu	mbers): NO TAT	on COC - 3xs 6/2/07
Sample (	Custodian:	A bmilh	Date: 06-/	3.07
	nt Sample ID	Analysis Requested	Condition	Comments/Action
<u> </u>	55m9	CrtG	N/A	Emaile L Chert
	ormed on <b>G/M/o</b>	1	Person contacted_	Joan Kesener
Ртојест М	X	amoha Segu	Date 6/21	/07
LS-023, 9	103, Rev. 5	J	·	

# Wagar, Rhonda

From:

Kessner, Joan H [jhkessne@wch-rcc.com]

Sent:

Thursday, June 14, 2007 3:08 PM

To:

Wagar, Rhonda

Subject: RE: COC for SDG J00114

Rhonda-The turn around time for this one is 7 days.
Thanks for checking,
Joan

From: Wagar, Rhonda [mailto:RWagar@stl-inc.com]

Sent: Thursday, June 14, 2007 10:50 AM

To: Kessner, Joan H

Subject: COC for SDG J00114

Hi Joan,

Attached is a copy of the COC we received yesterday for a water chromium sample; what is the TAT for this sample?

Thanks.

### Rhonda Wagar

QA Project Specialist STL Richland 509-375-3131

Leaders in Environmental Testing

Confidentiality Notice: The information contained in this message is intended only for the use of the addressee, and may be confidential and/or privileged. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

Sample Preparation/Analysis to (6/14/2007 1:02:46 PM Balance Id: 127642, Washington Closure Hanford 88 NO SAMPLE PREPARATION PERFORMED / DIRECT INJECTION Pipet #: Bechtel Hanford, Inc. EA Chromium, Hexavalent (7196A) 51 CLIENT: HANFORD Sep1 DT/Tm Tech: AnalyDueDate: 07/27/2007 Batch: 7165249 WATER mg/L PM, Quote: SS, 27023 Sep2 DT/Tm Tech: SEQ Batch, Test: None All Tests: 88EA, 7165249 88EA, Prep Tech: Total Work Order, Lot. Initial Aliquot QC Tracer Count Detector Count On I Off CR Analyst. Comments: Sample DateTime Amt/Unit Amt/Unit Prep Date Time Min ld (24hr) Circle Init/Date 1 J0XQ5-1-AA J7F130344-1-SAMP 06/13/2007 12:33 AmtRec: 250G #Containers: 1 Scr. Alpha: Beta: 2 J0XQ5-1-AC-S J7F130344-1-MS 06/13/2007 12:33 AmtRec: 250G #Containers: 1 Scr: Alpha: Beta: 3 J0XQ5-1-AD-D J7F130344-1-MSD 06/13/2007 12:33 AmtRec: 250G #Containers: 1 Scr: Alpha: Beta: 4 JOXQ5-1-AE-X J7F130344-1-DUP 06/13/2007 12:33 AmtRec: 250G #Containers: 1 Scr: Alpha: Beta: 5 J01JA-1-AA-B J7F140000-249-BLK 06/13/2007 12:33 AmtRec: Scr: Alpha: Beta: #Containers: 1 6 J01JA-1-AC-C J7F140000-249-LCS 06/13/2007 12:33 AmtRec: Scr: Alpha: #Containers: 1 Beta: WO Cnt: 6 STL Richland Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1 ISV - Insufficient Volume for Analysis

ICOC v4.8.26

Richland Wa.

pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

	PM			San	nple P	reparation/	Analysis			В	alance ld:	
6/14/2007 1:02:47			E	A Chromium,	Hexaval	•	ORMED / DII	RECT I	NJECTION	<b>AA</b> ===	Pipet #:	
AnalyDueDate: 0	7/27/2007			51 CLIENT: HA	NFORD					Sep1 D1	//Tm Tech:	
AnalyDueDate: 0' Batch: 7165249 SEQ Batch, Test: No.		mg	/L					···········		•	T/Tm Tech:	
					<b>⊊∏</b>					I	Prep Tech:	•
Work Order, Lot, Sample DateTime	Total Amt/Un	it	Initial Alique Amt/Unit		Tracer Date	Count Time Min	Detecto Id		Count On   C (24hr) Circle		CR Analyst, Init/Date	Comments:
Comments:			···	<u></u>								
Comments.				:								
											•	
												•
İ												
All Clients for t	p-tah.		<del></del>			<del></del>	<del></del>					
	Batch: Ington Closure	Hanford		Bechtel	Hanfor	d. Inc.	. 88 . :	27023	-			
127642, Washi	ington Closure			Bechtel	Hanfor	d, Inc.	, 88 , 3	27023	·			
127642, Washi 70xQ51AA-SAMP Cor	ington Closure	:1	7.07 .05	<del></del>			, 88 , 3	27023	-			
127642, Washi 70XQ51AA-SAMP Con REXCHROME RDI	ington Closure nstituent List L:0.002		LCL:85	Bechtel UCL:115	Hanfor		, ss , :	27023	-			
127642, Washi JOXQ51AA-SAMP CON HEXCHROME RDI JOXQ51AC-MS CONST	ington Closure nstituent List L:0.002 tituent List:	ng/L		UCL:115	RPD:2	0	, 88 , 3	27023	· · · · · ·			
127642, Washi  JOXQ51AA-SAMP CON  HEXCHROME RDI  JOXQ51AC-MS CONST  HEXCHROME RDI	ington Closure nstituent List L:0.002	:1	LCL: 85 LCL: 85	<del></del>		0	, 88 , 3	27023	-			
127642, Washi JOXQ51AA-SAMP CON HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD:	ington Closure nstituent List L:0.002 tituent List:	ng/L		UCL:115	RPD:2	0	, 88 , 3	27023	· ·			
127642, Washi JOXQ51AA-SAMP CON HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI	ington Closure nstituent List L:0.002 tituent List: L:0.002	ng/L	LCL: 85	UCL:115	RPD:2	0	, 88 , 3	27023	· · · · · · · · · · · · · · · · · · ·			
127642, Washi JOXQ51AA-SAMP CON HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK; HEXCHROME RDI	ington Closure nstituent List L:0.002 tituent List: L:0.002	ng/L	LCL: 85	UCL:115	RPD:2	0	, 88 , 3	27023	· .			
127642, Washi JOXQ51AA-SAMP CON HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK: HEXCHROME RDI JO1JA1AC-LCS:	ington Closure instituent List L:0.002 tituent List: L:0.002 L:0.002	mg/L mg/L mg/L mg/L	LCL:85 LCL:85 LCL:	UCL:115 UCL:115 UCL:115	RPD:20 RPD:20 RPD:20 RPD:20	0	, 88 , 3	27023	-			
127642, Washi JOXQ51AA-SAMP CON HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK: HEXCHROME RDI JO1JA1AC-LCS:	ington Closure nstituent List 1:0.002 tituent List: 1:0.002	mg/L mg/L mg/L	LCL:85	UCL:115 UCL:115 UCL:115	RPD:2	0	, ss , :	27023	·			
127642, Washi JOXQ51AA-SAMP COR HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK: HEXCHROME RDI JO1JA1AC-LCS: HEXCHROME RDI	ington Closure instituent List 1:0.002 tituent List: 1:0.002 L:0.002 L:0.002	mg/L mg/L mg/L mg/L	LCL:85 LCL:85 LCL:	UCL:115 UCL:115 UCL:115	RPD:20 RPD:20 RPD:20 RPD:20	0	, ss , :	27023	·			
127642, Washi JOXQ51AA-SAMP COR HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK: HEXCHROME RDI JO1JA1AC-LCS: HEXCHROME RDI JOXQ51AA-SAMP Cal Uncert Level	ington Closure instituent List L:0.002 L:0.002 L:0.002 L:0.002 L:0.002 L:0.002 L:0.002 L:0.002 L:0.002	mg/L mg/L mg/L mg/L	LCL:85 LCL:85 LCL:	UCL:115 UCL:115 UCL:115	RPD: 2 RPD: 2 RPD: 2 RPD: RPD:	0	, SS , :	27023				
127642, Washi JOXQ51AA-SAMP COR HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK: HEXCHROME RDI JO1JA1AC-LCS: HEXCHROME RDI JOXQ51AA-SAMP Cal Uncert Level JOXQ51AC-MS Calc	ington Closure instituent List L:0.002 L:0.002 L:0.002 L:0.002 L:0.002 L:0.for l (#s).: 2 Info:	mg/L mg/L mg/L mg/L mg/L mg/L mg/L	LCL:85 LCL:85 LCL: LCL:85	UCL:115 UCL:115 UCL:115 UCL: UCL:115	RPD:20 RPD:20 RPD:20 RPD:20 RPD:	0 0 0 0 Sci.Not.: Y	ODRs: B	27023				
JOXQ51AA-SAMP COR REXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK: HEXCHROME RDI JO1JA1AC-LCS: HEXCHROME RDI JOXQ51AA-SAMP Call Uncert Level JOXQ51AC-MS Calc Uncert Level	ington Closure instituent List L:0.002 L:0.002 L:0.002 L:0.002 L:0.002 L:0.for l (#s).: 2 Info:	mg/L mg/L mg/L mg/L mg/L	LCL:85 LCL:85 LCL: LCL:85	UCL:115 UCL:115 UCL:115 UCL:	RPD:20 RPD:20 RPD:20 RPD:20 RPD:	0		27023	•			
127642, Washi  JOXQ51AA-SAMP COR HEXCHROME RDI JOXQ51AC-MS CONST HEXCHROME RDI JOXQ51AD-MSD: HEXCHROME RDI JO1JA1AA-BLK: HEXCHROME RDI JO1JA1AC-LCS: HEXCHROME RDI JOXQ51AA-SAMP Cal Uncert Level JOXQ51AC-MS Calc Uncert Level JOXQ51AD-MSD: Uncert Level	ington Closure instituent List L:0.002 cituent List: L:0.002 L:0.002 L:0.002 L:0.002 lc Info: l (#s).: 2 Info: l (#s).: 2	mg/L mg/L mg/L mg/L mg/L mg/L mg/L	LCL:85 LCL:85 LCL: LCL:85 SaDt: Y	UCL:115 UCL:115 UCL:115 UCL: UCL:115	RPD:2 RPD:2 RPD:2 RPD: RPD:	0 0 0 0 Sci.Not.: Y	ODRs: B	27023				
127642, Washi  JOXQ51AA-SAMP CON  MEXCHROME RDI  JOXQ51AD-MSD:  HEXCHROME RDI  JOJA1AA-BLK:  HEXCHROME RDI  JOJA1AA-BLK:  HEXCHROME RDI  JOJA1AC-LCS:  HEXCHROME RDI  JOXQ51AA-SAMP CAI  Uncert Level  JOXQ51AC-MS Calc  Uncert Level	ington Closure instituent List L:0.002 L:0.002 L:0.002 L:0.002 L:0.002 L:0.for l (#s).: 2 Info: l (#s).: 2	mg/L mg/L mg/L mg/L mg/L mg/L mg/L Decay to	LCL:85 LCL:85 LCL:85 SaDt: Y SaDt: Y	UCL:115 UCL:115 UCL:115 UCL:115 UCL:115 UCL:115 Blk Subt.:	RPD: 2 RPD: 2 RPD: 2 RPD: RPD: 2 N	0 0 0 Sci.Not.: Y	ODRe: B	27023				

Sci.Not.: Y

ODRs: B

Approved By \_\_\_\_\_ Date: \_\_\_\_\_

STL Richland Richland Wa.

DOIJALAC-LCS:

Uncert Level (#s).: 2

Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added

Decay to SaDt: Y

ISV - Insufficient Volume for Analysis

WO Cnt; 6 ICOC v4.8.26

Blk Subt .: N